



Enable Pop-Ups and Cookies in Google Chrome


Enable Pop-Ups in Google Chrome



1. Click on the lock icon in the address bar



2. Click on 'Site settings'



3. Scroll down to 'Pop-ups and redirects' and change the setting to ALLOW
4. Refresh the DOT website

Enable Cookies in Google Chrome

Username:

Password:

Submit

[Forgot Password](#)


Not Yet Registered?

REGISTER


[How to Register Your Account and Log In](#)

For **Federal Government Programs** please bookmark www.ddfnetoolkits.com

This guide is for any users who are getting redirected back to the login page each time they attempt to log in



1. Navigate to <https://www.dentalofficetoolkit.com/> in Google Chrome
2. Click on the red icon in the address bar



3. Ensure that 'Always allow <https://www.dentalofficetoolkit.com> to set cookies' is ENABLED by clicking the radio button
4. Click 'Manage'

The image shows the Chrome Settings page for Cookies. The left sidebar lists various settings categories. The main content area is titled 'Cookies' and contains several toggle switches. Two of these are highlighted with red boxes and annotated with text:

- The first toggle, 'Allow sites to save and read cookie data (recommended)', is turned on (to the right). A red box around it is pointed to by an arrow from a text box that says: "If the toggle button is to the right, it has been enabled".
- The third toggle, 'Block third-party cookies', is turned off (to the left). A red box around it is pointed to by an arrow from a text box that says: "If the toggle button is to the left, it has been disabled".

Below these toggles, there is a section for 'See all cookies and site data' with an 'Add' button. Underneath, there are two lists: 'Block' and 'Allow'. The 'Block' list contains one entry: 'https://[*].dentalofficetoolkit.com:443'. The 'Allow' list contains one entry: 'https://[*].accounts.google.com:443'. Each entry has a three-dot menu icon to its right.

5. Ensure that the first option, 'Allow sites to save and read cookie data' is ENABLED
6. Ensure that the third option, 'Block third-party cookies' is DISABLED

Close out of Google Chrome and re-open it. Navigate back to <https://www.dentalofficetoolkit.com/>